

L Number	Hits	Search Text	DB	Time stamp
1	17461	(frame\$3 or field\$1 or image\$1 or data) NEAR6 ("same" or coincid\$3 or unchang\$3) WITH (decreas\$3 or low\$3 or consumpt\$3 or sav\$3)	USPAT	2003/09/24 18:44
2	17461	(frame\$3 or field\$1 or image\$1 or data) NEAR6 ("same" or coincid\$3 or unchang\$3) WITH (decreas\$3 or low\$3 or consumpt\$3 or sav\$3)	USPAT	2003/09/24 18:42
3	22699	(frame\$3 or field\$1 or image\$1 or data) NEAR6 ("same" or coincid\$3 or unchang\$3) WITH (decreas\$3 or low\$3 or consumpt\$3 or sav\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 18:43
4	236653	lcd or liquid NEAR2 crystal NEAR2 display	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 19:13
5	1422	((frame\$3 or field\$1 or image\$1 or data) NEAR6 ("same" or coincid\$3 or unchang\$3) WITH (decreas\$3 or low\$3 or consumpt\$3 or sav\$3)) and (lcd or liquid NEAR2 crystal NEAR2 display)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 18:44
6	906	(current or previous or preced\$3 or next or second) NEAR3 (frame\$3 or field\$1 or image\$1 or data) NEAR6 ("same" or coincid\$3 or unchang\$3) WITH (decreas\$3 or low\$3 or consumpt\$3 or sav\$3)	USPAT	2003/09/24 18:46
7	1067	(current or previous or preced\$3 or next or second) NEAR3 (frame\$3 or field\$1 or image\$1 or data) NEAR6 ("same" or coincid\$3 or unchang\$3) WITH (decreas\$3 or low\$3 or consumpt\$3 or sav\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 18:46
8	70	((frame\$3 or field\$1 or image\$1 or data) NEAR6 ("same" or coincid\$3 or unchang\$3) WITH (decreas\$3 or low\$3 or consumpt\$3 or sav\$3)) and (lcd or liquid NEAR2 crystal NEAR2 display)) and ((current or previous or preced\$3 or next or second) NEAR3 (frame\$3 or field\$1 or image\$1 or data) NEAR6 ("same" or coincid\$3 or unchang\$3) WITH (decreas\$3 or low\$3 or consumpt\$3 or sav\$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 18:54
10	0	((frame\$3 or field\$1 or image\$1 or data) NEAR6 ("same" or coincid\$3 or unchang\$3) WITH (decreas\$3 or low\$3 or consumpt\$3 or sav\$3)) and (lcd or liquid NEAR2 crystal NEAR2 display)) and ((current or previous or preced\$3 or next or second) NEAR3 (frame\$3 or field\$1 or image\$1 or data) NEAR6 ("same" or coincid\$3 or unchang\$3) WITH (decreas\$3 or low\$3 or consumpt\$3 or sav\$3))) and (lcd or liquid NEAR2 crystal NEAR2 display) not ((current or previous or preced\$3 or next or second) NEAR3 (frame\$3 or field\$1 or image\$1 or data) NEAR6 ("same" or coincid\$3 or unchang\$3) WITH (decreas\$3 or low\$3 or consumpt\$3 or sav\$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 18:57

11	22	((image or display NEAR2 data) NEAR3 "same" WITH (decreas\$3 or lower or consum\$3 or consumpt\$3 or sav\$3) NEAR3 (power or voltage\$1)) and (lcd or liquid NEAR2 crystal NEAR2 display) not (((frame\$3 or field\$1 or image\$1 or data) NEAR6 ("same" or coincid\$3 or unchang\$3) WITH (decreas\$3 or low\$3 or consumpt\$3 or sav\$3)) and (lcd or liquid NEAR2 crystal NEAR2 display)) and ((current or previous or preced\$3 or next or second) NEAR3 (frame\$3 or field\$1 or image\$1 or data) NEAR6 ("same" or coincid\$3 or unchang\$3) WITH (decreas\$3 or low\$3 or consumpt\$3 or sav\$3)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 18:57
12	7	(image or display NEAR2 data) NEAR3 match\$3 WITH (decreas\$3 or lower or consum\$3 or consumpt\$3 or sav\$3) NEAR3 (power or voltage\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 19:09
9	71	(image or display NEAR2 data) NEAR3 "same" WITH (decreas\$3 or lower or consum\$3 or consumpt\$3 or sav\$3) NEAR3 (power or voltage\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 19:09
13	7671	display WITH (decreas\$3 or lower or consum\$3 or consumpt\$3 or sav\$3) NEAR3 (power or voltage\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 19:10
14	624	display NEAR3 (image\$1 or data) WITH (decreas\$3 or lower or consum\$3 or consumpt\$3 or sav\$3) NEAR3 (power or voltage\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 19:20
15	314	( display NEAR3 (image\$1 or data) WITH (decreas\$3 or lower or consum\$3 or consumpt\$3 or sav\$3) NEAR3 (power or voltage\$1)) and (lcd or liquid NEAR2 crystal NEAR2 display) not (((frame\$3 or field\$1 or image\$1 or data) NEAR6 ("same" or coincid\$3 or unchang\$3) WITH (decreas\$3 or low\$3 or consumpt\$3 or sav\$3)) and (lcd or liquid NEAR2 crystal NEAR2 display)) and ((current or previous or preced\$3 or next or second) NEAR3 (frame\$3 or field\$1 or image\$1 or data) NEAR6 ("same" or coincid\$3 or unchang\$3) WITH (decreas\$3 or low\$3 or consumpt\$3 or sav\$3))) not ((image or display NEAR2 data) NEAR3 "same" WITH (decreas\$3 or lower or consum\$3 or consumpt\$3 or sav\$3) NEAR3 (power or voltage\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 19:12
16	236653	lcd or liquid NEAR2 crystal NEAR2 display	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 19:13
17	334	( display NEAR3 (image\$1 or data) WITH (decreas\$3 or lower or consum\$3 or consumpt\$3 or sav\$3) NEAR3 (power or voltage\$1)) and (lcd or liquid NEAR2 crystal NEAR2 display )	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 19:15
18	236653	lcd or liquid NEAR2 crystal NEAR2 display	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 19:15

19	314	( display NEAR3 (image\$1 or data) WITH (decreas\$3 or lower or consum\$3 or consumpt\$3 or sav\$3) NEAR3 (power or voltage\$1)) and (lcd or liquid NEAR2 crystal NEAR2 display) not (((frame\$3 or field\$1 or image\$1 or data) NEAR6 ("same" or coincid\$3 or unchang\$3) WITH (decreas\$3 or low\$3 or consumpt\$3 or sav\$3)) and (lcd or liquid NEAR2 crystal NEAR2 display)) and ((current or previous or preced\$3 or next or second) NEAR3 (frame\$3 or field\$1 or image\$1 or data) NEAR6 ("same" or coincid\$3 or unchang\$3) WITH (decreas\$3 or low\$3 or consumpt\$3 or sav\$3))) not ((image or display NEAR2 data) NEAR3 "same" WITH (decreas\$3 or lower or consum\$3 or consumpt\$3 or sav\$3) NEAR3 (power or voltage\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 19:16
20	9	display NEAR3 (image\$1 or data) NEAR3 (keep or kept or remain\$3 or maintain\$5) WITH (decreas\$3 or lower or consum\$3 or consumpt\$3 or sav\$3) NEAR3 (power or voltage\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 19:21

L Number	Hits	Search Text	DB	Time stamp
1	9880	most NEAR2 significant NEAR1 bit\$1 WITH least NEAR2 significant NEAR1 bit\$1	USPAT	2003/09/24 14:09
2	8	least NEAR2 significant NEAR2 bit\$1 WITH (compar\$3 or match\$3 or equal)	USPAT	2003/09/24 13:33
3	1	5495265.pn.	USPAT	2003/09/24 12:35
4	1193	lsb WITH (compar\$3 or match\$3 or equal)	USPAT	2003/09/24 12:43
5	6	lsb WITH (compar\$3 or match\$3 or equal) and least NEAR2 significant NEAR2 bit\$1	USPAT	2003/09/24 13:31
6	4	(lsb WITH (compar\$3 or match\$3 or equal) and least NEAR2 significant NEAR2 bit\$1) not (least NEAR2 significant NEAR2 bit\$1 WITH (compar\$3 or match\$3 or equal))	USPAT	2003/09/24 13:30
7	0	lsb NEAR5 (replac\$3 or substitut\$3) and least NEAR2 significant NEAR2 bit\$1	USPAT	2003/09/24 13:32
8	1	least NEAR2 significant NEAR2 bit\$1 WITH (replac\$3 or substitut\$3)	USPAT	2003/09/24 14:07
9	4450	345/87-103.ccls. or 345/204-206.ccls. or 345/208-210.ccls.	USPAT	2003/09/24 13:34
10	233744	(compar\$3 or match\$3) WITH (current or second or previous or preced\$3 or next)	USPAT	2003/09/24 13:36
11	685	(345/87-103.ccls. or 345/204-206.ccls. or 345/208-210.ccls.) and ((compar\$3 or match\$3) WITH (current or second or previous or preced\$3 or next) )	USPAT	2003/09/24 13:36
12	29125	(compar\$3 or match\$3) NEAR6 bit\$1	USPAT	2003/09/24 13:36
13	72	((345/87-103.ccls. or 345/204-206.ccls. or 345/208-210.ccls.) and ((compar\$3 or match\$3) WITH (current or second or previous or preced\$3 or next) )) and ((compar\$3 or match\$3) NEAR6 bit\$1)	USPAT	2003/09/24 13:36
14	22	("5495287"   "5696524"   "5748160"   "5748163"   "5757343"   "5767828"   "5767836"   "5781176"   "5784040"   "5786798"   "5790096"   "5796379"   "5805136"   "5815128"   "5818400"   "5818405"   "5818419"   "5867137"   "5898414"   "5907316"   "5943032"   "6008786").PN.	USPAT	2003/09/24 13:38
15	22	("5495287"   "5696524"   "5748160"   "5748163"   "5757343"   "5767828"   "5767836"   "5781176"   "5784040"   "5786798"   "5790096"   "5796379"   "5805136"   "5815128"   "5818400"   "5818405"   "5818419"   "5867137"   "5898414"   "5907316"   "5943032"   "6008786").PN.	USPAT	2003/09/24 13:40
16	828	(least NEAR2 significant NEAR2 bit\$1 or low\$3 NEAR2 bit\$1) WITH (replac\$3 or substitut\$3 or reproduc\$3 or reproduct\$3)	USPAT	2003/09/24 14:18
17	74	uppe\$3 NEAR2 significant NEAR1 bit\$1 WITH lowe\$3 NEAR2 significant NEAR1 bit\$1	USPAT	2003/09/24 14:09
18	9914	(most NEAR2 significant NEAR1 bit\$1 WITH least NEAR2 significant NEAR1 bit\$1 ) or (uppe\$3 NEAR2 significant NEAR1 bit\$1 WITH lowe\$3 NEAR2 significant NEAR1 bit\$1 )	USPAT	2003/09/24 14:10
19	95	((least NEAR2 significant NEAR2 bit\$1 or low\$3 NEAR2 bit\$1) WITH (replac\$3 or substitut\$3 or reproduc\$3 or reproduct\$3)) and ((most NEAR2 significant NEAR1 bit\$1 WITH least NEAR2 significant NEAR1 bit\$1 ) or (uppe\$3 NEAR2 significant NEAR1 bit\$1 WITH lowe\$3 NEAR2 significant NEAR1 bit\$1 ))	USPAT	2003/09/24 14:10

20	439588	"95" not (((345/87-103.ccls. or 345/204-206.ccls. or 345/208-210.ccls.) and ((compar\$3 or match\$3) WITH (current or second or previous or preced\$3 or next) )) and ((compar\$3 or match\$3) NEAR6 bit\$1))	USPAT	2003/09/24 14:11
21	95	((least NEAR2 significant NEAR2 bit\$1 or low\$3 NEAR2 bit\$1) WITH (replac\$3 or substitut\$3 or reproduc\$3 or reproduct\$3)) and ((most NEAR2 significant NEAR1 bit\$1 WITH least NEAR2 significant NEAR1 bit\$1 ) or (uppe\$3 NEAR2 significant NEAR1 bit\$1 WITH low\$3 NEAR2 significant NEAR1 bit\$1 ))) not (((345/87-103.ccls. or 345/204-206.ccls. or 345/208-210.ccls.) and ((compar\$3 or match\$3) WITH (current or second or previous or preced\$3 or next) )) and ((compar\$3 or match\$3) NEAR6 bit\$1))	USPAT	2003/09/24 14:11
22	1821682	compar\$3 or match\$3 or subtract\$3 or equal\$3	USPAT	2003/09/24 14:11
23	64806	(compar\$3 or match\$3 or subtract\$3 or equal\$3) WITH bit\$1	USPAT	2003/09/24 14:12
24	75	((least NEAR2 significant NEAR2 bit\$1 or low\$3 NEAR2 bit\$1) WITH (replac\$3 or substitut\$3 or reproduc\$3 or reproduct\$3)) and ((most NEAR2 significant NEAR1 bit\$1 WITH least NEAR2 significant NEAR1 bit\$1 ) or (uppe\$3 NEAR2 significant NEAR1 bit\$1 WITH low\$3 NEAR2 significant NEAR1 bit\$1 ))) not (((345/87-103.ccls. or 345/204-206.ccls. or 345/208-210.ccls.) and ((compar\$3 or match\$3) WITH (current or second or previous or preced\$3 or next) )) and ((compar\$3 or match\$3) NEAR6 bit\$1))) and ((compar\$3 or match\$3 or subtract\$3 or equal\$3) WITH bit\$1)	USPAT	2003/09/24 14:12
25	1533	(least NEAR2 significant NEAR2 bit\$1 or low\$3 NEAR2 bit\$1) WITH (chang\$3)	USPAT	2003/09/24 14:19
26	180	((least NEAR2 significant NEAR2 bit\$1 or low\$3 NEAR2 bit\$1) WITH (chang\$3)) and ((most NEAR2 significant NEAR1 bit\$1 WITH least NEAR2 significant NEAR1 bit\$1 ) or (uppe\$3 NEAR2 significant NEAR1 bit\$1 WITH low\$3 NEAR2 significant NEAR1 bit\$1 ))	USPAT	2003/09/24 14:19

27	132	((compar\$3 or match\$3 or subtract\$3 or equal\$3) WITH bit\$1) and (((least NEAR2 significant NEAR2 bit\$1 or low\$3 NEAR2 bit\$1) WITH (chang\$3)) and ((most NEAR2 significant NEAR1 bit\$1 WITH least NEAR2 significant NEAR1 bit\$1) or (uppe\$3 NEAR2 significant NEAR1 bit\$1 WITH lowe\$3 NEAR2 significant NEAR1 bit\$1))) not (((least NEAR2 significant NEAR2 bit\$1 or low\$3 NEAR2 bit\$1) WITH (replac\$3 or substitut\$3 or reproduc\$3 or reproduct\$3)) and ((most NEAR2 significant NEAR1 bit\$1 WITH least NEAR2 significant NEAR1 bit\$1) or (uppe\$3 NEAR2 significant NEAR1 bit\$1 WITH lowe\$3 NEAR2 significant NEAR1 bit\$1))) not (((345/87-103.ccls. or 345/204-206.ccls. or 345/208-210.ccls.) and ((compar\$3 or match\$3) WITH (current or second or previous or preced\$3 or next) )) and ((compar\$3 or match\$3) NEAR6 bit\$1))) and ((compar\$3 or match\$3 or subtract\$3 or equal\$3) WITH bit\$1))	USPAT	2003/09/24 14:20
28	16	((compar\$3 or match\$3 or subtract\$3 or equal\$3) WITH bit\$1) and (((least NEAR2 significant NEAR2 bit\$1 or low\$3 NEAR2 bit\$1) WITH (chang\$3)) and ((most NEAR2 significant NEAR1 bit\$1 WITH least NEAR2 significant NEAR1 bit\$1) or (uppe\$3 NEAR2 significant NEAR1 bit\$1 WITH lowe\$3 NEAR2 significant NEAR1 bit\$1))) not (((least NEAR2 significant NEAR2 bit\$1 or low\$3 NEAR2 bit\$1) WITH (replac\$3 or substitut\$3 or reproduc\$3 or reproduct\$3)) and ((most NEAR2 significant NEAR1 bit\$1 WITH least NEAR2 significant NEAR1 bit\$1) or (uppe\$3 NEAR2 significant NEAR1 bit\$1 WITH lowe\$3 NEAR2 significant NEAR1 bit\$1))) not (((345/87-103.ccls. or 345/204-206.ccls. or 345/208-210.ccls.) and ((compar\$3 or match\$3) WITH (current or second or previous or preced\$3 or next) )) and ((compar\$3 or match\$3) NEAR6 bit\$1))) and ((compar\$3 or match\$3 or subtract\$3 or equal\$3) WITH bit\$1))) and 345/\$.ccls.	USPAT	2003/09/24 15:09
29	1	5495265.pn.	USPAT	2003/09/24 15:11
30	3707	voltage\$3 NEAR5 (increas\$3 or decreas\$3 or chang\$3 or add\$3) SAME (compar\$3 or match\$3 or subtract\$3) NEAR5 (current or second or next or previous or preced\$3)	USPAT	2003/09/24 15:14
31	33	(345/87-103.ccls. or 345/204-206.ccls. or 345/208-210.ccls.) and (voltage\$3 NEAR5 (increas\$3 or decreas\$3 or chang\$3 or add\$3) SAME (compar\$3 or match\$3 or subtract\$3) NEAR5 (current or second or next or previous or preced\$3))	USPAT	2003/09/24 16:10
32	1	6556180.pn.	USPAT	2003/09/24 16:12
33	7	("5828354"   "5844533"   "5920300"   "6219016"   "6222516"   "6288697"   "6353435").PN.	USPAT	2003/09/24 16:11
34	403	add\$3 and steven WITH saras	USPAT	2003/09/24 16:12
35	390	(add\$3 and steven WITH saras) and 345/\$.ccls.	USPAT	2003/09/24 16:13